



# ANAPHYLAXIS POLICY

## PURPOSE

This policy is in place to:

- explain to Keelonith Primary School parents, carers, staff and students the processes and procedures in place to support students diagnosed as being at risk of suffering from anaphylaxis
- ensure that Keelonith Primary School is compliant with Ministerial Order 706 and the Department's guidelines for anaphylaxis management.

## SCOPE

This policy applies to:

- all staff, including casual relief staff and volunteers
- all students who have been diagnosed with anaphylaxis, or who may require emergency treatment for an anaphylactic reaction, and their parents and carers.

## COMMUNICATION

Students will be informed of relevant content of this policy at the commencement of each school year, and aspects such as not sharing food items will be part of the regular school curriculum.

Parents of students at risk of anaphylaxis will be provided with a copy of this policy on enrolment and the policy will be available on the school website. An annual newsletter item will refer parents to this policy and aspects of the policy will be included in the newsletter as deemed necessary.

Staff will be referred to this policy during induction and at the start of each school year. A copy of this policy will be available on the Keelonith Primary School website for staff access. Staff will be required to attend a twice yearly staff briefing and individual student management plans will be circulated to relevant staff prior to the first day a student at risk attends school.

CRTs and volunteers will be provided with a copy of this policy on induction.

Public facing collateral such as posters communicating aspects of this policy will be displayed in high traffic areas in the school.

Following review and any changes to this policy, all those with a vested interest will be informed through appropriate avenues such as the newsletter, Keelonith Primary School website, staff forums and class activities.

The principal is responsible for ensuring that all relevant staff, including casual relief staff, canteen staff and volunteers are aware of this policy. The principal is also responsible for ensuring relevant staff are trained and briefed in anaphylaxis management, consistent with the Department's *Anaphylaxis Guidelines*.

## IMPLEMENTATION

### 1. School Statement

Keelonith Primary School will fully comply with Ministerial Order 706 and the associated guidelines published by the Department of Education and Training.

### 2. Anaphylaxis

Anaphylaxis is a severe allergic reaction that occurs after exposure to an allergen. The most common allergens

for school-aged children are nuts, eggs, cow's milk, fish, shellfish, wheat, soy, sesame, latex, certain insect stings and medication.

### *Symptoms*

Signs and symptoms of a mild to moderate allergic reaction can include:

- swelling of the lips, face and eyes
- hives or welts
- tingling in the mouth.

Signs and symptoms of anaphylaxis, a severe allergic reaction, can include:

- difficult/noisy breathing
- swelling of tongue
- difficulty talking and/or hoarse voice
- wheeze or persistent cough
- persistent dizziness or collapse
- student appears pale or floppy
- abdominal pain and/or vomiting.

Symptoms usually develop within ten minutes and up to two hours after exposure to an allergen, but can appear within a few minutes.

### **3. Treatment**

Adrenaline given as an injection into the muscle of the outer mid-thigh is the first aid treatment for anaphylaxis.

Individuals diagnosed as being at risk of anaphylaxis are prescribed an adrenaline autoinjector for use in an emergency. These adrenaline autoinjectors are designed so that anyone can use them in an emergency.

### **4. Individual Anaphylaxis Management Plans**

a) All students at Keelonith Primary School who are diagnosed by a medical practitioner as being at risk of suffering from an anaphylactic reaction must have an Individual Anaphylaxis Management Plan. When notified of an anaphylaxis diagnosis, the Principal of Keelonith Primary School is responsible for developing a plan in consultation with the student's parents/carers.

Where necessary, an Individual Anaphylaxis Management Plan will be in place as soon as practicable after a student enrolls at Keelonith Primary School and where possible, before the student's first day.

b) Parents and carers must:

- obtain an ASCIA Action Plan for Anaphylaxis from the student's medical practitioner and provide a copy to the school as soon as practicable
- immediately inform the school in writing if there is a relevant change in the student's medical condition and obtain an updated ASCIA Action Plan for Anaphylaxis
- provide an up-to-date photo of the student for the ASCIA Action Plan for Anaphylaxis when that Plan is provided to the school and each time it is reviewed
- provide the school with a current adrenaline autoinjector for the student that has not expired
- participate in annual reviews of the student's plan.

c) Each student's Individual Anaphylaxis Management Plan must include:

- information about the student's medical condition that relates to allergies and the potential for anaphylactic reaction, including the type of allergies the student has
- information about the signs or symptoms the student might exhibit in the event of an allergic reaction based on a written diagnosis from a medical practitioner
- strategies to minimise the risk of exposure to known allergens while the student is under the care or supervision of school staff, including in the school yard, at camps and excursions, or at special events conducted, organised or attended by the school
- the name of the person(s) responsible for implementing the risk minimisation strategies, which have been identified in the Plan

- information about where the student's medication will be stored
- the student's emergency contact details
- an up-to-date ASCIA Action Plan for Anaphylaxis completed by the student's medical practitioner.

#### d) Review and updates to Individual Anaphylaxis Management Plans

A student's Individual Anaphylaxis Management Plan will be reviewed and updated on an annual basis in consultation with the student's parents/carers.

The plan will also be reviewed and, where necessary, updated in the following circumstances:

- as soon as practicable after the student has an anaphylactic reaction at school

- if the student's medical condition, insofar as it relates to allergy and the potential for anaphylactic reaction, changes
- when the student is participating in an off-site activity, including camps and excursions, or at special events including fetes and concerts.

Consideration will also be given to updating a student's Individual Anaphylaxis Management Plan if there is an identified and significant increase in the student's potential risk of exposure to allergens at school.

### 5. Location of Plans and Adrenaline Autoinjectors

a) Plans and an autoinjector will be stored according to the individual needs of students at risk of anaphylaxis taking into account the severity of the allergy and recommendations of the medical personnel involved. Decisions will be made in consultation with the student's parents/carers.

b) A copy of each student's Individual Anaphylaxis Management Plan will be stored with their ASCIA Action Plan for Anaphylaxis in the first aid room. Whilst some students keep their adrenaline autoinjector on their person, medication for those that do not will be stored and labeled with their name in their learning community, together with adrenaline autoinjectors for general use.

### 6. Risk Minimisation Strategies

To reduce the risk of a student suffering from an anaphylactic reaction at Keelonith Primary School, we have put in place the following strategies:

- staff and students are regularly reminded to wash their hands after eating
- students are discouraged from sharing food
- garbage bins are to be covered with lids to reduce the risk of attracting insects
- gloves must be worn when picking up papers or rubbish in the playground
- school canteen staff are trained in appropriate food handling to reduce the risk of cross-contamination
- year groups will be informed of allergens that must be avoided in advance of class parties, events or birthdays
- a general use EpiPen will be stored at the school canteen, office and in the yard duty bag for ease of access
- planning for off-site activities will include risk minimisation strategies for students at risk of anaphylaxis including supervision requirements, appropriate number of trained staff, emergency response procedures and other risk controls appropriate to the activity and students attending.

### 7. Adrenaline Autoinjectors for General Use

a) Keelonith Primary School will maintain adrenaline autoinjectors for general use, as a back-up to those provided by parents and carers for specific students, and also for students who may suffer from a first time reaction at school. At present school enrolments are at 266 which would necessitate the maintenance of two adrenaline autoinjectors.

b) Adrenaline autoinjectors for general use will be stored in the first aid room and labeled "general use".

c) The Principal is responsible for arranging the purchase of adrenaline autoinjectors for general use, and will consider:

- the number of students enrolled at Keelonith Primary School at risk of anaphylaxis
- the accessibility of adrenaline autoinjectors supplied by parents
- the availability of a sufficient supply of autoinjectors for general use in different locations at the school, as well as at camps, excursions and events

- the limited life span of adrenaline autoinjectors, and the need for general use adrenaline autoinjectors to be replaced when used or prior to expiry.

### 8. Emergency Response

a) In the event of an anaphylactic reaction, the emergency response procedures in this policy must be followed,

together with the school's general first aid procedures, emergency response procedures and the student's Individual Anaphylaxis Management Plan.

b) A complete and up-to-date list of students identified as being at risk of anaphylaxis is maintained by an Education Support staff member with first aid responsibilities and stored in the first aid room. For camps, excursions and special events, a designated staff member will be responsible for maintaining a list of students at risk of anaphylaxis attending the special event, together with their Individual Anaphylaxis Management Plans and adrenaline autoinjectors, where appropriate.

c) If a student experiences an anaphylactic reaction at school or during a school activity, school staff must:

| Step | Action  |
|------|---|
| 1.   | <ul style="list-style-type: none"> <li>• Lay the person flat</li> <li>• Do not allow them to stand or walk</li> <li>• If breathing is difficult, allow them to sit</li> <li>• Be calm and reassuring</li> <li>• Do not leave them alone</li> <li>• Seek assistance from another staff member to locate the student's adrenaline autoinjector or the school's general use autoinjector, and the student's Individual Anaphylaxis Management Plan, stored in their learning community.</li> <li>• If the student's plan is not immediately available, or they appear to be experiencing a first time reaction, follow steps 2 to 5</li> </ul> |

2. Administer an EpiPen or EpiPen Jr (if the student is under 20kg)

- Remove from plastic container
- Form a fist around the EpiPen and pull off the blue safety release (cap)
- Place orange end against the student's outer mid-thigh (with or without clothing)
- Push down hard until a click is heard or felt and hold in place for 3 seconds
- Remove EpiPen
- Note the time the EpiPen is administered
- Retain the used EpiPen to be handed to ambulance paramedics along with the time of administration

3. Call an ambulance (000)

4. If there is no improvement or severe symptoms progress (as described in the ASCIA Action Plan for Anaphylaxis), further adrenaline doses may be administered every five minutes, if other adrenaline autoinjectors are available.

5. Contact the student's emergency contacts.

If a student appears to be having a severe allergic reaction, but has not been previously diagnosed with an allergy or being at risk of anaphylaxis, school staff should follow steps 2 – 5 as above.

[Note: If in doubt, it is better to use an adrenaline autoinjector than not use it, even if in hindsight the reaction is not anaphylaxis. Under-treatment of anaphylaxis is more harmful and potentially life threatening than over-treatment of a mild to moderate allergic reaction. Refer to page 41 of the [Anaphylaxis Guidelines](#)].

## 9. Staff training

a) The principal will ensure that the following school staff are appropriately trained in anaphylaxis management in accordance with Ministerial Order 706:

- School staff who conduct classes attended by students who are at risk of anaphylaxis
- School staff who conduct specialist classes, all canteen staff, admin staff, and any other member of school staff as required by the principal based on a risk assessment.

b) Staff who are required to undertake training must have completed:

- an approved face-to-face anaphylaxis management training course in the last three years, or 4
- an approved online anaphylaxis management training course in the last two years.

c) Keelonith Primary School will use the following training: VU21800 – Management

Roger Abel Training Services (R.A.T.S)  
Mobile: 0400 582 357  
Nationally Accredited Training  
ABN: ABN:42512090367

d) Staff are required to attend a briefing on anaphylaxis management and this policy at least twice per year (with the first briefing to be held at the beginning of the school year), facilitated by a staff member who has successfully completed an anaphylaxis management course within the last 2 years including School Anaphylaxis Supervisor. Each briefing will address:

- this policy
- the causes, symptoms and treatment of anaphylaxis
- the identities of students with a medical condition that relates to allergies and the potential for anaphylactic reaction, and where their medication is located
- how to use an adrenaline autoinjector, including hands on practice with a trainer adrenaline autoinjector
- the school's general first aid and emergency response procedures
- the location of, and access to, adrenaline autoinjectors that have been provided by parents or purchased by the school for general use.

e) When a new student enrolls at Keelonith Primary School, who is at risk of anaphylaxis, the Principal will develop an interim plan in consultation with the student's parents and ensure that appropriate staff are trained and briefed as soon as possible.

f) The Principal will ensure that while students at risk of anaphylaxis are under the care or supervision of the school outside of normal class activities, including in the school yard, at camps and excursions, or at special event days, there is a sufficient number of school staff present who have been trained in anaphylaxis management.

## FURTHER INFORMATION AND RESOURCES

Policy Advisory Library

- [Anaphylaxis](#)
- [Anaphylaxis management in schools](#)

Resources

- Allergy & Anaphylaxis Australia: [Risk minimisation strategies](#)
- ASCIA Guidelines: [Schooling and childcare](#)
- Royal Children's Hospital: [Allergy and immunology](#)

School Policies

- Health Care Needs Policy
- First Aid Policy
- Duty of Care Policy
- Yard Duty and Supervision Policy
- Administration of Medication Policy

## REVIEW CYCLE AND EVALUATION

It is mandated that this policy is reviewed annually.

|                            |               |
|----------------------------|---------------|
| Policy last reviewed       | February 2021 |
| Approved by                | Principal     |
| Next scheduled review date | February 2022 |

The Principal will complete the Department's Annual Risk Management Checklist for anaphylaxis management to assist with the evaluation and review of this policy and the support provided to students at risk of anaphylaxis.